

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** AQUAMARINE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
GREEN	CI # 74260
ORANGE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** APPLE GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
GREEN	CI # 74260
YELLOW	CI # 11741
BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: BABY PINK**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 73915
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: BAMBOO**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 77491
YELLOW	CI # 77492
RED	CI # 12477
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** BANANA

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** BLOOD RED

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12475
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: BLUE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYECERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: BRIGHT ORANGE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW

CI # 11741

RED

CI # 12477

WATER:

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: BROWN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BROWN

CI # 77491

ISOPROPANOL

C.A.S # 67-63-0

WATER:

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: BUBBLE GUM PINK**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
WATER:	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** CAMEL

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BROWN	CI # 77491
YELLOW	CI # 77492
YELLOW	CI # 11741
RED	CI # 12477
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Product Name: CANARY YELLOW**

Inksanity Ink

4270 Cote-De-Liesse,

Montreal, QC

1-855-586-7466

inksanityink@gmail.com

www.inksanityink.com

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW

CI # 11741

WATER:

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** CELESTIAL

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
WATER:	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** CHERRY

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12477
WHITE	CI # 77891
WATER:	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: CHOCOLATE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12477
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** COCO

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 21108
YELLOW	CI # 11741
RED	CI # 12477
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: COFFEE BROWN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 77491
BLACK	CI # 77226
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## INKSANITY INK

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** COOL GRAY

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLACK	CI # 77226
VIOLET	CI # 51319
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** COPPER

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BROWN	CI # 11740	YELLOW	CI # 77492
BROWN	CI # 21110	RED	CI # 12477
WHITE	CI # 77891	BLUE	CI # 74160
BROWN	CI # 12475	ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5	GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** CORAL

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: CORN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** COUNTRY BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** CRIMSON RED

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
RED	CI # 12466
RED	CI # 73915
GREEN	CI #74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** DARK BROWN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BROWN	CI #11740	BROWN	CI # 21110
RED	CI # 12477	ORANGE	CI # 74160
WHITE	CI # 77891	ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5		
GLYCERIN	C.A.S # 56-81-5		

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** DARK GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI #21108
GREEN	CI#74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** DARK RED

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12466
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: DEEP BURGUNDY**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12466
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** DEEP GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** DEEP PINK

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12466
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** DEEP PURPLE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 51319
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** DEEP RED

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12477
BLACK	CI # 77266
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: ELECTRIC BLUE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 51319
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** EMERALD

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

GREEN	CI # 74260
WHITE	CI # 77891
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** ESPRESSO

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 77491
BLACK	CI # 77266
GREEN	CI # 74260
YELLOW	CI # 77492
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** FLAMING RED

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12466
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** FLESH

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI# 77492
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** FUSCHIA

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 73915
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: GOLDEN YELLOW**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW

CI # 11741

RED

CI # 12477

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** GRAPE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12466
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** GRAY

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: HOLLYWOOD TURQUOISE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** INDIGO

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** IRISH GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
GREEN	CI # 74260
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** L.A. PINK

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12466
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** LAVENDER

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 51319
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** LEAF GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 11741
BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: LEMON YELLOW**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** LIGHT BROWN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 77491
YELLOW	CI # 77492
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** LIGHT RED

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12315
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** LILAC

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
ORANGE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** LIME GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 11741
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** LITE GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 11741
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** MAGENTA

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 73915
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** MALIBU PINK

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: MAUVE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** MEDIUM BROWN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

ORANGE	CI # 45370
WHITE	CI #77891
RED	CI # 77491
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: MEDIUM GREEN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLUE	CI # 74160
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** MEXICAN ROSE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
RED	CI # 73915
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** MIDNIGHT BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
VIOLET	CI # 73900
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** NAVY BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLUE	CI # 74160
WHITE	CI # 77891
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** NUGGET

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse, Montreal,  
QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** OLD BROWN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 77491
RED	CI # 12466
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** OLIVE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
VIOLET	CI # 73900
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** PALE FLESH

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 77491
YELLOW	CI # 77492
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** PERIWINKLE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
VIOLET	CI # 51319
BLACK	CI # 77266
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** PLUM

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** PURPLE HAZE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 51319
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:**

wash thoroughly after handling

**Storage:**

store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** RASPBERRY

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** REEF GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** ROYAL BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** SALMON

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: SANTA MONICA BLUE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
GREEN	CI # 74260
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** SCARLET RED

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12477
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** SEAL BROWN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 77491
BLACK	CI # 77226
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** SIENNA

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891	BROWN	CI # 21110
BROWN	CI # 11740	RED	CI # 12477
BLUE	CI # 74160	YELLOW	CI # 77492
ISOPROPANOL	C.A.S # 67-63-0	WATER	C.A.S#7732-18-5
GLYCERIN	C.A.S # 56-81-5		

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** SKY BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
GREEN	CI # 74260
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** SLATE BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
RED	CI # 12466
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** SOFT BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
VIOLET	CI # 51319
BLACK	CI # 77266
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: STANDARD WHITE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** STEEL BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
YELLOW	CI # 21108
ORANGE	CI # 21160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** SUPER WHITE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** TEAL

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)  
Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** THUNDER VIOLET

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
RED	CI # 12466
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Inksanity Ink

4270 Cote-De-Liesse,

Montreal, QC

1-855-586-7466

inksanityink@gmail.com

www.inksanityink.com

**Product Name:** TIGER ORANGE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

ORANGE

CI # 45370

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** TOMATO

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** TRIBAL BLACK

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** TURBO BLACK

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** VIOLET

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 51319
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Inksanity Ink  
4270 Cote-De-Liesse,  
Montreal, QC  
1-855-586-7466  
inksanityink@gmail.com  
www.inksanityink.com

**Product Name:** WINEBERRY

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: YELLOW OCHRE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW

CI # 77492

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: COLOR MIXING**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Transparent liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: SHADER SOLUTION**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

ISOPROPANOL      C.A.S # 67-63-0

WATER              C.A.S # 7732-18-5

GLYCERIN          C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Transparent liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.



# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Inksanity Ink**

**4270 Cote-De-Liesse,**

**Montreal, QC**

**1-855-586-7466**

**inksanityink@gmail.com**

**www.inksanityink.com**

**Product Name: HARAJUKU OUTLINING**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLACK

CI # 77226

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:**

None flammable material

**Flash point Method:**

Fire point calculated > 212°F (100°C)

**Flammability Limits:**

Not applicable

**Extinguishing Media:**

Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

MSDS/Number: #BC

Revision Date 04/01/2013

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Inksanity Ink

4270 Cote-De-Liesse,

Montreal, QC

1-855-586-7466

inksanityink@gmail.com

www.inksanityink.com

**Product Name:** HARAJUKU SHADING

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLACK

CI # 77226

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212°F (100°C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32°F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

MSDS/Number: #BC

Revision Date 04/01/2013

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Inksanity Ink

---

---

**MSDS/Number: #BC**

**Revision Date 04/01/2013**

---

<b>14: TRANSPORTATION INFORMATION</b>
---------------------------------------

<b>DOT Shipping Name:</b>	Not required
<b>DOT Hazard Class:</b>	None
<b>DOT Label:</b>	None
<b>DOT Placard:</b>	None

<b>15: REGULATORY INFORMATION</b>
-----------------------------------

**OSHA:** Maybe mildly irritating to eyes

<b>16: OTHER INFORMATION</b>
------------------------------

The information contained herein is based on data considered accurate.

Inksanity Ink assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material.